

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5)

8011033

Date of compilation: 23/10/2013

Revised: 13/12/2019 Version: 4 (Replaced 3)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033

Relevant identified uses of the substance or mixture and uses advised against: 1.2

Relevant uses: Paint. For professional user/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

JAURENA, S.A. Carretera del Mig, 203 08907 Hospitalet de Llobregat - Barcelona - Spain Phone.: +34 932632328 - Fax: +34 932631408 clientes@artmir.com www.jaurenaart.com

1.4 Emergency telephone number: +34 915620420

SECTION 2: HAZARDS IDENTIFICATION **

Classification of the substance or mixture: 2.1

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:



Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects

Precautionary statements:

P273: Avoid release to the environment P391: Collect spillage P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively

2.3 **Other hazards:**

Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

** Changes with regards to the previous version

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033



Date of compilation: 23/10/2013 Revised: 13/12/2019 Version: 4 (Replaced 3)

Identification		Chemical name/Classification	Concentra
CAS: 1314-13-2	Zinc oxide ⁽¹⁾	1	ATP CLP00
EC: 215-222-5 Index: 030-013-00-7 REACH: 01-2119463881-32- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	2,5 - <1

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Revised: 13/12/2019

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

Version: 4 (Replaced 3)

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5)

8011033

Date of compilation: 23/10/2013

Revised: 13/12/2019 Version: 4 (Replaced 3)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

- C.- Technical recommendations to prevent ergonomic and toxicological risks
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033



Date of compilation: 23/10/2013

13 Revised: 13/12/2019

/2019 Version: 4 (Replaced 3)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Zinc oxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1314-13-2	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 215-222-5	Inhalation	Non-applicable	Non-applicable	5 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Zinc oxide	Oral	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
CAS: 1314-13-2	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 215-222-5	Inhalation	Non-applicable	Non-applicable	2,5 mg/m ³	Non-applicable

PNEC:

Identification				
Zinc oxide	STP	0,1 mg/L	Fresh water	0,0206 mg/L
CAS: 1314-13-2	Soil	35,6 mg/kg	Marine water	0,0061 mg/L
EC: 215-222-5	Intermittent	Non-applicable	Sediment (Fresh water)	117,8 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	56,5 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+ A1:2009 and EN ISO 374-1:2016

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

Picto	gram	PPE	Labelling	CEN Standard	Remarks
	abory face ection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E Body pro	otection				

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.

¥_2

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033

compil								
	lation: 23/10/201	.3	Revised: 13/12	2/2019	Versior	1: 4 (Replaced 3)		
TION	8: EXPOSURE	CONTR	OLS/PERSON	AL PROTECT	ION (continued)		
	Pictogram		PPE	Labelling		CEN Standard		Remarks
		Anti-s	lip work shoes		E	N ISO 20347:2012	perioo recom	ce before any evidence of deterioration. Fi ds of prolonged exposure to the product for professional/industrial users CE III is mended, in accordance with the regulatio EN ISO 20345:2012 y EN 13832-1:2007
F A	Additional emerge	ency mea	sures	1				
	Emergency mea	asure	S	tandards		Emergency measu	ire	Standards
	Emergency sho	ower		ISI Z358-1 011, ISO 3864-4:20)11	Eyewash station	s	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Envi	ironmental exp		ontrole					
	regard to Directi /.O.C. (Supply):	ive 2010/		duct has the fol % weight	llowing	characteristics:		
V	/.O.C. density at a		3,5 k	% weight g/m ³ (3,5 g/L))			
V A	/.O.C. density at Average carbon n Average molecula	umber:	3,5 k 5,17	5)			
V A A	Average carbon n	umber: Ir weight:	3,5 k 5,17 : 156,8	g/m³ (3,5 g/L) 8 g/mol)			
V A A	Average carbon n Average molecula	umber: r weight: AND CH	3,5 k 5,17 : 156,8 EMICAL PROP	rg/m ³ (3,5 g/L) 8 g/mol PERTIES				
۷ ۵ ۲ION Info	Average carbon n Average molecula 9: PHYSICAL A	umber: Ir weight: AND CH sic physi	3,5 k 5,17 156,8 EMICAL PROP ical and chem	g/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties				
۷ ۵ ۲ <mark>ΙΟΝ</mark> Ιηfo For c	Average carbon n Average molecula 9: PHYSICAL A prmation on bas	umber: Ir weight: AND CH sic physi	3,5 k 5,17 156,8 EMICAL PROP ical and chem	g/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties				
V A FION Info For c App	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa	umber: r weight: AND CH sic physi tion see	3,5 k 5,17 156,8 EMICAL PROP ical and chem	g/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties	S:			
V A A TION Info For c Appe Phys	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance:	umber: r weight: AND CH sic physi tion see	3,5 k 5,17 156,8 EMICAL PROP ical and chem	g/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu	S:	le		
V A A TION Info For c Appe Phys	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: sical state at 20 % earance:	umber: r weight: AND CH sic physi tion see	3,5 k 5,17 156,8 EMICAL PROP ical and chem	rg/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not	s: id			
V A A TION For c Appe Appe	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: sical state at 20 % earance: ur:	umber: r weight: AND CH sic physi tion see	3,5 k 5,17 156,8 EMICAL PROP ical and chem	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not	s: id availab	le		
V A A TION For c Appe Color Odou	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: sical state at 20 % earance: ur:	umber: r weight: AND CH sic physi tion see	3,5 k 5,17 156,8 EMICAL PROP ical and chem	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not Not	s: id availab availab	le le		
V A A TION For c Appe Color Odou Odou	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: dical state at 20 % earance: ur: ur:	umber: r weight: AND CH sic physi tion see	3,5 k 5,17 156,8 EMICAL PROP ical and chem	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not Not	s: id availab availab availab	le le		
V A A Info For c Appe Color Odou Odou Vola	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: sical state at 20 % earance: ur: ur: ur: ur:	umber: r weight: AND CH sic physi tion see C:	3,5 k 5,17 EMICAL PROF ical and chem the product data	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not Not	s: availab availab availab availab	le le		
V A A FION For c Appe Color Odou Odou Odou Vola Boilir	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: sical state at 20 % earance: ur: ur: ur: ur: ur threshold: atility:	umber: r weight: AND CH sic physi tion see C:	3,5 k 5,17 EMICAL PROF ical and chem the product data	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not Not	s: id availab availab -applica °C	le le		
V A A FION For c Appe Colou Odou Odou Odou Odou Odou Odou Odou Od	Average carbon n Average molecula 9: PHYSICAL A prmation on base complete informa earance: sical state at 20 % earance: ur: ur: ur: ur: ur threshold: atility: ng point at atmos	umber: r weight: AND CH sic physi tion see C: C: spheric p 0 °C:	3,5 k 5,17 EMICAL PROF ical and chem the product data	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not Not Not 112 3395	s: availab availab availab -applica •C 5 Pa	le le		
V A A FION For c Appe Colou Odou Odou Odou Odou Vola Boilir Vapo Vapo	Average carbon n Average molecula 9: PHYSICAL A prmation on bas complete informa earance: sical state at 20 % earance: ur: ur: ur: ur: ur threshold: atility: ng point at atmos pour pressure at 20	umber: r weight: AND CH sic physition see C: C: spheric p 0 °C: 0 °C:	3,5 k 5,17 EMICAL PROF ical and chem the product data	ig/m ³ (3,5 g/L) 8 g/mol PERTIES ical properties asheet. Liqu Not Not Not 112 3395 1726	s: availab availab availab -applica •C 5 Pa	le able * Pa (17,26 kPa)		

- CONTINUED ON NEXT PAGE -

*Not relevant due to the nature of the product, not providing information property of its hazards.

1685,7 kg/m³

Non-applicable *

Non-applicable *

Non-applicable *

Non-applicable *

Non-applicable *

Non-applicable *

1,686

Density at 20 °C:

Concentration:

pH:

Relative density at 20 °C: Dynamic viscosity at 20 °C:

Kinematic viscosity at 20 °C:

Kinematic viscosity at 40 °C:

Vapour density at 20 °C:

Revised: 13/12/2019 Version: 4 (Replaced 3)
Document generated with Chemeter (www.siam-it.com)

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033



Date of	compilation: 23/10/2013	Revised: 13/12/2019	Version: 4 (Replaced 3)	
SEC	FION 9: PHYSICAL AND C	HEMICAL PROPERTIES	6 (continued)	
	Partition coefficient n-octane	ol/water 20 ºC:	Non-applicable *	
	Solubility in water at 20 °C:		Non-applicable *	
	Solubility properties:		Non-applicable *	
	Decomposition temperature	:	Non-applicable *	
	Melting point/freezing point	:	Non-applicable *	
	Explosive properties:		Non-applicable *	
	Oxidising properties:		Non-applicable *	
	Flammability:			
	Flash Point:		Non Flammable (>60 °C)	
	Flammability (solid, gas):		Non-applicable *	
	Autoignition temperature:		306 °C	
	Lower flammability limit:		Non-applicable *	
	Upper flammability limit:		Non-applicable *	
	Explosive:			
	Lower explosive limit:		Non-applicable *	
	Upper explosive limit:		Non-applicable *	
9.2	Other information:			
	Surface tension at 20 °C:		Non-applicable *	
	Refraction index:		Non-applicable *	
	*Not relevant due to the nature of	the product, not providing infor	mation property of its hazards.	

SECT	ION 10: STABILITY ANI	D REACTIVITY							
10.1	Reactivity:								
	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.								
10.2	Chemical stability:			-					
	Chemically stable under the	e conditions of storage, ha	andling and use.						
10.3	Possibility of hazardous	reactions:	-						
	Under the specified conditi	ons, hazardous reactions	that lead to excessive tem	peratures or pressure are	not expected.				
10.4	Conditions to avoid:								
	Applicable for handling and	l storage at room tempera	ature:						
	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity				
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable				
10.5	0.5 Incompatible materials:								
	Acids	Water	Oxidising materials	Combustible materials	Others				
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases				
10.6	Hazardous decompositi	on products:							

ardous decomposition products:

In case of prolonged thermal treatment at temperatures greater than 200 °C, the decomposition products are aromatic amines (3,3'- dichlorobenzidine)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033



Date of compilation: 23/10/2013 Revised: 13/12/2019

ed: 13/12/2019 Version: 4 (Replaced 3)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: Solvent naphtha (petroleum), light arom. (1); Propan-2-ol (3); Titanium dioxide (2B); C.I.Pigment Orange 13 (1)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acut	Genus	
Zinc oxide	LD50 oral	7950 mg/kg	Mouse
CAS: 1314-13-2	LD50 dermal	Non-applicable	
EC: 215-222-5	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available



MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033

Date of compilation: 23/10/2013

Revised: 13/12/2019 Version: 4 (Replaced 3)

SECTION 12: ECOLOGICAL INFORMATION (continued)

12.1 Toxicity:

Identification	Acute toxicity		Species	Genus
Zinc oxide	LC50	0.82 mg/L (96 h)	Oncorhynchus kisutch	Fish
CAS: 1314-13-2		3.4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 215-222-5	EC50	Non-applicable		

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:

¥_2

MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033

Date of compilation: 23/10/2013	Revised: 13/12/2019	Version: 4 (Replaced 3)
SECTION 14: TRANSPORT	INFORMATION (continued)	
A A	UN number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
14.3	Transport hazard class(es): Labels:	9 9
	Packing group: Environmental hazards:	III Yes
14.6	Special precautions for user Special regulations:	274, 335, 375, 601
	Tunnel restriction code: Physico-Chemical properties: Limited quantities:	Non-applicable see section 9 5 L
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dangero		
With regard to IMDG 38	-16:	
14.1	UN number:	UN3082
	UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
14.3	Transport hazard class(es): Labels:	9 9
14.4	Packing group:	III
	Environmental hazards:	Yes
-	Special precautions for user	
	Special regulations:	335, 969, 274
	EmS Codes:	F-A, S-F
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
14.7	Segregation group: Transport in bulk according	Non-applicable Non-applicable
14.7	to Annex II of Marpol and the IBC Code:	мон-аррисале
Transport of dangero	us goods by air:	
With regard to IATA/ICA	NO 2019:	
14.1	UN number:	UN3082
9	UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide)
14.3	Transport hazard class(es):	9
	Labels:	9
	Packing group:	III
	Environmental hazards: Special precautions for user	Yes
14.0	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable



MIR - (ZnO) OLEO MIR 033 BERMELLON (V5)

8011033

Date of compilation: 23/10/2013

Revised: 13/12/2019 Version: 4 (Replaced 3)

SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2		200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

Removed substances

Naphtha (petroleum), hydrotreated heavy (64742-48-9)

Substances that contribute to the classification (SECTION 2):

Removed substances

Naphtha (petroleum), hydrotreated heavy (64742-48-9) CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Pictograms
- Hazard statements

Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H411: Toxic to aquatic life with long lasting effects

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Classification procedure:

Aquatic Chronic 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

** Changes with regards to the previous version



MIR - (ZnO) OLEO MIR 033 BERMELLON (V5) 8011033

Revised: 13/12/2019

Date of compilation: 23/10/2013

Version: 4 (Replaced 3)

SECTION 16: OTHER INFORMATION ** (continued)

http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 23/10/2013

Revised: 13/12/2019 Version: 4 (Replaced 3)