MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251

Date of compilation: 23/10/2013 Revised: 03/01/2019

Version: 2 (Replaced 1)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier: MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE 1.1 8011251

Relevant identified uses of the substance or mixture and uses advised against: 1.2

Relevant uses: Paint. For professional user/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

JAURENA, S.A. Carretera del Mig, 203 08907 Hospitalet de Llobregat - Barcelona - Spain Phone.: +34 932632328 - Fax: +34 932631408 clientes@artmir.com www.jaurenaart.com

1.4 Emergency telephone number: +34 915620420

SECTION 2: HAZARDS IDENTIFICATION **

Classification of the substance or mixture: 2.1

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:



Hazard statements:

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects

Precautionary statements:

P273: Avoid release to the environment P391: Collect spillage P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively

2.3 **Other hazards:**

Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

** Changes with regards to the previous version

MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251

Date of compilation: 23/10/2013

Revised: 03/01/2019 Version: 2 (Replaced 1)



Identification Chemical name/Classification Concentratio					
	1314-13-2	Zinc oxide ⁽¹⁾	ATP CLP00		
EC: Index:	215-222-5 030-013-00-7 01-2119463881-32- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	2,5 - <10 %	

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:


Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251



Version: 2 (Replaced 1)

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Revised: 03/01/2019

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

- C.- Technical recommendations to prevent ergonomic and toxicological risks
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):



MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251

Date of compilation: 23/10/2013

Revised: 03/01/2019

19 Version: 2 (Replaced 1)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	Short exposure Long exposure		
Identification		Systemic	Local	Systemic	Local
Zinc oxide	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 1314-13-2	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 215-222-5	Inhalation	Non-applicable	Non-applicable	5 mg/m³	Non-applicable

DNEL (General population):

		Short e	xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
Zinc oxide	Oral	Non-applicable	Non-applicable	0,83 mg/kg	Non-applicable
CAS: 1314-13-2	Dermal	Non-applicable	Non-applicable	83 mg/kg	Non-applicable
EC: 215-222-5	Inhalation	Non-applicable	Non-applicable	2,5 mg/m ³	Non-applicable

PNEC:

Identification				
Zinc oxide	STP	0,1 mg/L	Fresh water	0,0206 mg/L
CAS: 1314-13-2	Soil	35,6 mg/kg	Marine water	0,0061 mg/L
EC: 215-222-5	Intermittent	Non-applicable	Sediment (Fresh water)	117,8 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	56,5 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+ A1:2009 and EN ISO 374-1:2016

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E B	Body protection				

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.





MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE 8011251

	8: EXPOSURE	CONTRO	DLS/PERSON	AL PROTECTI	ION (continue	d)		
_	Pictogram		PPE	Labelling	CEN Standa	ard		Remarks
		Anti-sl	ip work shoes		EN ISO 20347	2:2012	perioo recom	ce before any evidence of deterioration ds of prolonged exposure to the produc professional/industrial users CE III is imended, in accordance with the regula EN ISO 20345:2012 y EN 13832-1:200
F A	dditional emerge	ency meas	sures					
	Emergency mea	asure	Si	tandards	Emerge	ency measu	re	Standards
	Emergency sho	ower		SI Z358-1 11, ISO 3864-4:20	11	A stations	5	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:20
Envi	ronmental exp	osure co	ntrols:					
spilla	cordance with th ge of both the pr tile organic cor	roduct an	d its container.					nmended to avoid environmenta
	regard to Directi	•		duct has the fol	lowing character	ristics:		
	.O.C. (Supply):			% weight				
	.O.C. density at 2	20 ºC:	-	kg/m ³ (2,22 g/	/L)			
A	verage carbon n	umber:	4,06					
A	verage molecula	r weight:	92 g/	'mol				
	rmation on bas		cal and chemi		5:			
For c	omplete informa		cal and chemi	ical properties	5:			
For c Appe		tion see t	cal and chemi	ical properties				
For c Appe Physi	omplete informa earance:	tion see t	cal and chemi	i cal properties asheet. Liqui				
For c Appe Physi	omplete informa earance: ical state at 20 % arance:	tion see t	cal and chemi	i cal properties asheet. Liqui Not a	id			
For c Appe Physi Appe	omplete informa earance: ical state at 20 % arance: ır:	tion see t	cal and chemi	ical properties asheet. Liqui Not a Not a	id available			
For c Appe Physi Appe Colou Odou	omplete informa earance: ical state at 20 % arance: ır:	tion see t	cal and chemi	i cal properties asheet. Liqui Not a Not a	id available available			
For c Appe Physi Appe Colou Odou	omplete informa earance: ical state at 20 % arance: ır: ır:	tion see t	cal and chemi	i cal properties asheet. Liqui Not a Not a Not a	id available available available applicable *			
For c Appe Physi Appe Colou Odou Odou Odou Boilin	omplete informa earance: ical state at 20 % arance: ur: ur: ur threshold: tility: ng point at atmos	tion see t C: spheric pr	cal and chem i he product data	ical properties asheet. Not a Not a Not a Not a 95 %	id available available available applicable * C			
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo	omplete informa earance: ical state at 20 % arance: ur: ur: ur threshold: tility: ng point at atmos ur pressure at 20	tion see t C: spheric pr 0 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Not a Non- 95 % 3758	id available available available applicable * C Pa			
For c Appe Physi Appe Colou Odou Odou Odou Boilin Vapo Vapo	omplete informa earance: ical state at 20 % arance: ur: ur: ur threshold: tility: ng point at atmos ur pressure at 20 ur pressure at 20	tion see t C: spheric pr 0 °C: 0 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Non- 95 % 3758 1909	id available available available applicable * C 3 Pa 99,71 Pa (19,1 k	:Pa)		
For c Appe Physi Appe Colou Odou Odou Odou Boilin Vapo Vapo Evapo	omplete informa earance: ical state at 20 % arance: ur: ur: tritity: ng point at atmos ur pressure at 20 ur pressure at 50 oration rate at 20	tion see t C: spheric pr 0 °C: 0 °C: 0 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Non- 95 % 3758 1909	id available available available applicable * C Pa	(Pa)		
For c Appe Physi Appe Colou Odou Odou Odou Vola Boilin Vapo Vapo Evapo Prod	omplete informa earance: ical state at 20 % arance: ur: ur threshold: tility: ng point at atmos ur pressure at 20 ur pressure at 20 oration rate at 20 luct description	tion see t C: spheric pr 0 °C: 0 °C: 0 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Non- 95 % 3758 1909 Non-	id available available -applicable * C 3 Pa 99,71 Pa (19,1 k -applicable *	(Pa)		
For c Appe Physi Appe Colou Odou Odou Odou Boilin Vapo Vapo Evapo Prod	omplete informa earance: ical state at 20 % arance: ur: ur: threshold: tility: ng point at atmos ur pressure at 20 ur pressure at 50 oration rate at 20 luct description ity at 20 °C:	tion see t C: spheric pr 0 °C: 0 °C: 0 °C: n:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Not a 95 % 3758 1909 Non-	id available available available applicable * C 3 Pa 99,71 Pa (19,1 k applicable *	(Pa)		
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo Vapo Evapo Evapo Dens Relat	omplete informa earance: ical state at 20 % arance: ur: ur: trility: ng point at atmos ur pressure at 20 ur pressure at 20 oration rate at 20 luct description ity at 20 °C: ive density at 20	tion see t C: spheric pr 0 °C: 0 °C: 0 °C: n:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Not a 3758 1909 Non- 1519 1,51	id available available available applicable * C 3 Pa 99,71 Pa (19,1 k applicable * 9,1 kg/m ³ 9	Pa)		
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo Vapo Evapo Evapo Prod Dens Relat	omplete informa earance: ical state at 20 % arance: ur: ur: ur threshold: tility: ng point at atmos ur pressure at 20 oration rate at 20 oration rate at 20 luct description ity at 20 % ive density at 20 mic viscosity at 20	tion see t C: spheric pr 0 °C: 0 °C: n: 0 °C: 20 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Non- 95 % 3758 1909 Non- 1519 1,51 Non-	id available available available -applicable * C 3 Pa 99,71 Pa (19,1 k -applicable * 9,1 kg/m ³ 9	(Pa)		
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo Vapo Evapo Evapo Evapo Evapo Evapo Evapo Evapo Evapo Evapo Evapo Evapo Scientino	omplete informa earance: ical state at 20 % arance: ur: ur: threshold: tility: ng point at atmos ur pressure at 20 ur pressure at 20 oration rate at 20 luct description ity at 20 % ive density at 20 mic viscosity at 20	tion see t C: spheric pr 0 °C: 0 °C: n:) °C: 20 °C: 20 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Not a Not 3758 1909 Non- 1519 1,519 1,519 Non- Non-	id available available available applicable * C 3 Pa 99,71 Pa (19,1 k applicable * 9,1 kg/m ³ 9 applicable * applicable *	Pa)		
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo Vapo Evapo Evapo Prod Dens Relat Dyna Kiner	omplete informa earance: ical state at 20 % arance: ur: ur: tritity: ng point at atmos ur pressure at 20 oration rate at 20 oration rate at 20 oration rate at 20 oration rate at 20 ity at 20 °C: ive density at 20 mic viscosity at natic viscosity at	tion see t C: spheric pr 0 °C: 0 °C: n:) °C: 20 °C: 20 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Not a Non- 95 % 3758 1909 Non- 1519 1,51° Non- Non- Non-	id available available available available applicable * 29,71 Pa (19,1 k applicable * 3,1 kg/m ³ 9 applicable * applicable * applicable *	;Pa)		
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo Vapo Evapo Evapo Prod Dens Relat Dyna Kiner Kiner	omplete informa earance: ical state at 20 % arance: ur: ur: threshold: tility: ng point at atmos ur pressure at 20 ur pressure at 50 oration rate at 20 luct description ity at 20 % ive density at 20 mic viscosity at 20	tion see t C: spheric pr 0 °C: 0 °C: n:) °C: 20 °C: 20 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Non- 95 % 3758 1909 Non- 1519 1,51 Non- Non- Non- Non- Non-	id available available available applicable * C 3 Pa 99,71 Pa (19,1 k applicable * applicable * applicable * applicable * applicable *	(Pa)		
For c Appe Physi Appe Colou Odou Odou Vola Boilin Vapo Evapo Evapo Evapo Prod Dens Relat Dyna Kiner Kiner Conco pH:	omplete informa earance: ical state at 20 % arance: ur: ur: tritity: ng point at atmos ur pressure at 20 oration rate at 20 oration rate at 20 oration rate at 20 oration rate at 20 iuct description ity at 20 °C: ive density at 20 mic viscosity at natic viscosity at	tion see t C: spheric pr 0 °C: 0 °C: 0 °C: n: 20 °C: 20 °C: 20 °C: 20 °C: 20 °C:	cal and chem i he product data	ical properties asheet. Liqui Not a Not a Not a Not 3758 1909 Non- 1519 1,51 Non- Non- Non- Non- Non- Non- Non-	id available available available available applicable * 29,71 Pa (19,1 k applicable * 3,1 kg/m ³ 9 applicable * applicable * applicable *	;Pa)		

- CONTINUED ON NEXT PAGE -

Revised: 03/01/2019

Version: 2 (Replaced 1)

MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE 8011251

Version: 2 (Replaced 1)

Revised: 03/01/2010

Date of	compliation: 23/10/2013 Revised: 03/01/2019	version: 2 (Replaced 1)
SEC	TION 9: PHYSICAL AND CHEMICAL PROPERTIE	S (continued)
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Flammability:	
	Flash Point:	Non Flammable (>60 °C)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	306 °C
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Explosive:	
	Lower explosive limit:	Non-applicable *
	Upper explosive limit:	Non-applicable *
9.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing info	ormation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY 10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7. 10.2 Chemical stability: Chemically stable under the conditions of storage, handling and use. 10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. 10.4 Conditions to avoid: Applicable for handling and storage at room temperature: Shock and friction Increase in temperature Contact with air Sunlight Humidity Not applicable Not applicable Not applicable Not applicable Not applicable 10.5 Incompatible materials: Acids Water Oxidising materials Combustible materials Others Avoid strong acids Not applicable Not applicable Not applicable Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

- CONTINUED ON NEXT PAGE -

Date of compilation: 23/10/2013

Document generated with Chemeter (www.siam-it.com)

MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251

Date of compilation: 23/10/2013 Revised: 03/01/2019

019 Version: 2 (Replaced 1)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for skin contact. For more information see section 3.
 - Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: Solvent naphtha (petroleum), light arom. (1); Propan-2-ol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Revised: 03/01/2019

Identification	Acut	Genus	
Zinc oxide	LD50 oral	7950 mg/kg	Mouse
CAS: 1314-13-2	LD50 dermal	Non-applicable	
EC: 215-222-5	LC50 inhalation	Non-applicable	

Version: 2 (Replaced 1)



MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251



Date of compilation: 23/10/2013 Revised: 03/01/2019

Version: 2 (Replaced 1)

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Identification		Acute toxicity	Species	Genus
Zinc oxide	LC50	0.82 mg/L (96 h)	Oncorhynchus kisutch	Fish
CAS: 1314-13-2	EC50	3.4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 215-222-5	EC50	Non-applicable		
2 Persistence and degradability:				

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2019 and RID 2019:



MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE 8011251

Date of compilation: 23/10/2013 Revised: 03/01/2019 Version: 2 (Replaced 1) SECTION 14: TRANSPORT INFORMATION (continued) 14.1 UN number: UN3082 14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide) 14.3 Transport hazard class(es): 9 Labels: 9 14.4 Packing group: III 14.5 Environmental hazards: Yes 14.6 Special precautions for user Special regulations: 274, 335, 375, 601 Tunnel restriction code: Non-applicable Physico-Chemical properties: see section 9 Limited quantities: 51 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code: Transport of dangerous goods by sea: With regard to IMDG 38-16: 14.1 UN number: UN3082 14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide) 14.3 Transport hazard class(es): 9 Labels: 9 14.4 Packing group: III 14.5 Environmental hazards: Yes 14.6 Special precautions for user Special regulations: 335, 969, 274 EmS Codes: F-A, S-F Physico-Chemical properties: see section 9 Limited quantities: 5 L Segregation group: Non-applicable 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code: Transport of dangerous goods by air: With regard to IATA/ICAO 2019: 14.1 UN number: UN3082 14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc oxide) 14.3 Transport hazard class(es): 9 9 Labels: 14.4 Packing group: III 14.5 Environmental hazards: Yes 14.6 Special precautions for user Physico-Chemical properties: see section 9 14.7 Transport in bulk according Non-applicable to Annex II of Marpol and the IBC Code:

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE



8011251

Date of compilation: 23/10/2013

Revised: 03/01/2019 Version: 2 (Replaced 1)

SECTION 15: REGULATORY INFORMATION (continued)

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements
E2		200	500

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

· Removed substances

Dipropylene Glycol Methyl Ether (34590-94-8)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16): Precautionary statements

Texts of the legislative phrases mentioned in section 2:

H411: Toxic to aquatic life with long lasting effects

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Aquatic Acute 1: H400 - Very toxic to aquatic life

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects

Classification procedure:

Aquatic Chronic 2: Calculation method

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms:

- CONTINUED ON NEXT PAGE -

Revised: 03/01/2019 Version: 2 (Replaced 1)

¥_____

MIR - (ZnO) OLEO MIR GRANEL N§ 251 VERDE PERMANENTE

8011251

Date of compilation: 23/10/2013

Version: 2 (Replaced 1)

SECTION 16: OTHER INFORMATION (continued)

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

Revised: 03/01/2019

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 23/10/2013

Revised: 03/01/2019 Version: 2 (Replaced 1)
Document generated with Chemeter (www.siam-it.com)