MIR - OLEO MIR 391 NEGRO DE MARTE (V1)

8011391

Date of compilation: 23/10/2013Revised: 17/12/2019Version: 5 (Replaced 4)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: MIR - OLEO MIR 391 NEGRO DE MARTE (V1) 8011391

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Paint. For professional user/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

JAURENA,S.A. Carretera del Mig, 203 08907 Hospitalet de Llobregat - Barcelona - Spain Phone.: +34 932632328 - Fax: +34 932631408 clientes@artmir.com www.jaurenaart.com

1.4 Emergency telephone number: +34 915620420

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.

2.2 Label elements: CLP Regulation (EC) No 1272/2008: None

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

Components:

None of the substances contained in the mixture are above the values fixed in Annex II of Regulation (EC) No 1907/2006

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Consult a doctor in case of discomfort showing the SDS for the product.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.

MIR - OLEO MIR 391 NEGRO DE MARTE (V1)

8011391

Date of compilation: 23/10/2013

Version: 5 (Replaced 4)

SECTION 4: FIRST AID MEASURES (continued)

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

- **4.2** Most important symptoms and effects, both acute and delayed: Acute and delayed effects are indicated in sections 2 and 11.
- **4.3** Indication of any immediate medical attention and special treatment needed: Non-applicable

Revised: 17/12/2019

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable, with a low risk of fire due to the flammabliity characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

5.2 Special hazards arising from the substance or mixture:

Due to its inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)

MIR - OLEO MIR 391 NEGRO DE MARTE (V1)

8011391

Date of compilation: 23/10/2013

Version: 5 (Replaced 4)

SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Revised: 17/12/2019

It is not necessary to take special measures to prevent environmental risks. For more information see subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace

There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2003+ A1:2009 and EN ISO 374-1:2016

"As the product is a mixture of several substances, the resistance of the glove material can not be predicted in advance with total reliability and has therefore to be checked prior to the application"

D.- Ocular and facial protection

Version: 5 (Replaced 4)

Revised: 17/12/2019

MIR - OLEO MIR 391 NEGRO DE MARTE (V1) 8011391

TION	8: EXPOSURE	CONTROLS/PERSON	AL PROTECT	ION (continued)	
		connector Encon			
	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2018	Clean daily and disinfect periodically accordin the manufacturer´s instructions. Use if there risk of splashing.
E	Body protection				
	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration periods of prolonged exposure to the produc professional/industrial users CE III is recommended, in accordance with the regula in EN ISO 6529:2013, EN ISO 6530:2005, EN 13688:2013, EN 464:1994.
		Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration periods of prolonged exposure to the produc professional/industrial users CE III is recommended, in accordance with the regula in EN ISO 20345:2012 y EN 13832-1:200
F	Additional emerge	ency measures			
	It is not necessary	v to take additional eme	rgency measure	S.	
Fn	vironmental exp	osure controls:			
Vo	blatile organic con th regard to Directi	mpounds: ve 2010/75/EU, this pro	duct has the fol	nformation see subsectio	U 7.1.D
Vo	olatile organic co	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07	duct has the fol % weight g/m³ (9,1 g/L)	lowing characteristics:	U 7.1.D
Vo Wi	It ie organic con th regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07	duct has the fol % weight g/m³ (9,1 g/L) 65 g/mol	lowing characteristics:	м 7.1.D
Vo Wi	Alatile organic con th regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267,	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES	lowing characteristics:	п 7.1.D
Vo Wi	Hatile organic con th regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on bas	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267,	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties	lowing characteristics:	n 7.1.D
Vo Wi TION In For	Hatile organic con th regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula N 9: PHYSICAL A formation on bas	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties	lowing characteristics:	т 7.1.D
Vo Wi TION In Fou Ap	Average molecula V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula V.9: PHYSICAL A formation on base r complete information	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO Sic physical and chem tion see the product dat	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties	lowing characteristics:	п 7.1.D
Vo Wi TTION In Fou Ph Ap	Average carbon n Average carbon n Average molecula V.O.C. (Supply): V.O.C. density at 1 Average carbon n Average molecula V.9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 % pearance:	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO Sic physical and chem tion see the product dat	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not	llowing characteristics:	м 7.1.D
Vo Wi TTION In Fou Ph Ap	Average carbon n Average carbon n Average molecula V.9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 of	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO Sic physical and chem tion see the product dat	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not	lowing characteristics:	м 7.1.D
Vo Wi In For Ap Co	Average carbon n Average carbon n Average molecula V.O.C. (Supply): V.O.C. density at 1 Average carbon n Average molecula V.9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 % pearance:	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO Sic physical and chem tion see the product dat	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not	lowing characteristics:	м 7.1.D
Vo Wi TION For Ap Ph Co Od	Average carbon n Average carbon n Average carbon n Average molecula N 9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 % pearance: lour: lour: lour:	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO Sic physical and chem tion see the product dat	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not	lowing characteristics:	м 7.1.D
Vo Wi TION For Ap Ph Co Od	VIATILE organic con th regard to Directi V.O.C. (Supply): V.O.C. density at Average carbon n Average molecula V 9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 % pearance: lour: lour:	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO Sic physical and chem tion see the product dat	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not	lowing characteristics:	
Vo Wi CTION In Fou Ap Ph Co Od Od Od So	Average carbon n Average carbon n Average carbon n Average molecula V 9: PHYSICAL A formation on bas r complete informato pearance: ysical state at 20 % pearance: lour: lour: lour: lour threshold: platility: illing point at atmos	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem tion see the product dat C: pheric pressure:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not	lowing characteristics: s: id available available available available available available	т 7.1.D
Vo Wi TION In Fou Ap Ph Co Od Od Od Od Vo Bo	Average carbon n Average carbon n Average carbon n Average molecula N 9: PHYSICAL A formation on bas r complete informa pearance: ysical state at 20 % pearance: lour: lour: lour threshold: blatility: illing point at atmos pour pressure at 20	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem tion see the product dat C: spheric pressure: 0 °C:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not Not	lowing characteristics: id available available available available available available available available	
Vo Wi TION In Fou Ap Ph Co Od Od Od Od Vo Bo	Average carbon n Average carbon n Average carbon n Average molecula V 9: PHYSICAL A formation on base r complete informato pearance: ysical state at 20 % pearance: lour: lour: lour: lour threshold: platility: illing point at atmos	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem tion see the product dat C: spheric pressure: 0 °C:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not Not Not 148 2385	lowing characteristics: id available available available available available available available available	
Vo Wi In Fou Ap Co Od Od Vo Bo Vo Vo Xa	Average carbon n Average carbon n Average carbon n Average molecula N 9: PHYSICAL A formation on bas r complete informa pearance: ysical state at 20 % pearance: lour: lour: lour threshold: blatility: illing point at atmos pour pressure at 20	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267,1 ND CHEMICAL PRO sic physical and chem tion see the product dat C: spheric pressure: 0 °C: 0 °C:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not Not Not 148 2385 1214	llowing characteristics: s: id available available available -applicable * °C 5 Pa	
Vo Wi In Fou Ap Co Od Od Od Vo Bo Va Va Va Va	Average carbon n Average carbon n Average carbon n Average molecula V.O.C. (Supply): V.O.C. density at 1 Average molecula V.9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 % pearance: lour: lour: lour: lour threshold: olatility: iling point at atmos pour pressure at 20 pour pressure at 20	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem tion see the product dat C: spheric pressure:) °C:) °C:) °C:) °C:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not Not Not 148 2385 1214	Ilowing characteristics: id available available available -applicable * • • • • • • • • • • • • •	
Vo Wi In Fou Ap Ph Co Od Od Od Vo Bo Va Va Va Va Va Pr	Average carbon n Average carbon n Average carbon n Average molecula V.O.C. (Supply): V.O.C. density at 1 Average molecula V.9: PHYSICAL A formation on base r complete informat opearance: ysical state at 20 % pearance: lour: lour: lour: lour: lour: lour threshold: olatility: illing point at atmose pour pressure at 20 pour pressure at 20 pour pressure at 20 pour pressure at 20	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem tion see the product dat C: spheric pressure:) °C:) °C:) °C:) °C:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not Not Not 148 2385 1214 Non	Ilowing characteristics: id available available available -applicable * • • • • • • • • • • • • •	
Vo Wi In Fou Ap Ph Co Od Od Od Vo Bo Va Va Va Eva Va Eva Va Pr De	Average carbon n Average carbon n Average carbon n Average molecula N 9: PHYSICAL A formation on bas r complete informa opearance: ysical state at 20 % pearance: lour: lour: lour threshold: blatility: illing point at atmos pour pressure at 20 pour pressure a	mpounds: ve 2010/75/EU, this pro 0,44 20 °C: 9,1 k umber: 7,07 r weight: 267, ND CHEMICAL PRO sic physical and chem tion see the product dat C: spheric pressure:) °C:) °C:) °C:) °C: 1:	duct has the fol % weight g/m ³ (9,1 g/L) 65 g/mol PERTIES ical properties asheet. Liqu Not Not Not 148 2385 1214 Non	lowing characteristics: id available available available available -applicable * °C 5 Pa 40,84 Pa (12,14 kPa) -applicable * 5,9 kg/m ³	

Date of compilation: 23/10/2013

Revised: 17/12/2019 Version: 5 (Replaced 4)

MIR - OLEO MIR 391 NEGRO DE MARTE (V1) 8011391

Date of compilation: 23/10/2013 Revise	1: 17/12/2019 Version: 5 (Replaced 4)
SECTION 9: PHYSICAL AND CHEMICA	PROPERTIES (continued)
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water) °C: Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	Non-applicable *
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	Non Flammable (>60 °C)
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	306 °C
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the produ	, not providing information property of its hazards.

-	ECTION	10: STABILI	TY AND DE	

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity			
	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable			
10.5	10.5 Incompatible materials:							
	Acids	Water	Oxidising materials	Combustible materials	Others			
	Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases			
106	10.6 Hazardous decomposition products:							

MIR - OLEO MIR 391 NEGRO DE MARTE (V1)

8011391

Date of compilation: 23/10/2013

Revised: 17/12/2019 Version: 5 (Replaced 4)

SECTION 10: STABILITY AND REACTIVITY (continued)

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

LD50 oral > 2000 mg/kg (rat)

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met
- Corrosivity/Irritability: Based on available data, the classification criteria are not met C- Contact with the skin and the eyes (acute effect):
- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met
 - Contact with the eyes: Based on available data, the classification criteria are not met
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met IARC: Solvent naphtha (petroleum), light arom. (1); Propan-2-ol (3)
 - Mutagenicity: Based on available data, the classification criteria are not met
 - Reproductive toxicity: Based on available data, the classification criteria are not met
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met
 - Cutaneous: Based on available data, the classification criteria are not met
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
- Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard:

Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

12.2 Persistence and degradability:

MIR - OLEO MIR 391 NEGRO DE MARTE (V1)

8011391

Date of compilation: 23/10/2013 Revised: 17/12/2019 Version: 5 (Replaced 4)

SECT	ION 12: ECOLOGICAL INFORMATION (continued)
	Not available
12.3	Bioaccumulative potential:
	Not available
12.4	Mobility in soil:
	Not available
12.5	Results of PBT and vPvB assessment:
	Product fails to meet PBT/vPvB criteria
12.6	Other adverse effects:
	Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Non-applicable

Specific provisions in terms of protecting people or the environment:

- CONTINUED ON NEXT PAGE -

Document generated with Chemeter (www.siam-it.com)

MIR - OLEO MIR 391 NEGRO DE MARTE (V1)

8011391

Date of compilation: 23/10/2013

Revised: 17/12/2019 Versior

Version: 5 (Replaced 4)

SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3):

Removed substances

Dipropylene Glycol Methyl Ether (34590-94-8)

Naphtha (petroleum), hydrotreated heavy (64742-48-9)

2-ethylhexanoic acid, zirconium salt (22464-99-9)

Hydrocarbons, C9-C11,n-alkanes, iso-alkanes, cyclics, <2% aromatics (64742-48-9)

Substances that contribute to the classification (SECTION 2):

Removed substances

Naphtha (petroleum), hydrotreated heavy (64742-48-9)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

• Pictograms

· Hazard statements

· Precautionary statements

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Non-applicable

Classification procedure:

Non-applicable

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LOg-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

** Changes with regards to the previous version

MIR - OLEO MIR 391 NEGRO DE MARTE (V1) 8011391

Date of compilation: 23/10/2013

Revised: 17/12/2019

Version: 5 (Replaced 4)

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -

Date of compilation: 23/10/2013

Revised: 17/12/2019 Version: 5 (Replaced 4)

Page 9/9

Document generated with Chemeter (www.siam-it.com)